






WT01MO001LAV

R23P04807

Cotton Felpa MT® - Recycled & OCS



CHARACTERISTICS	
COMPOSITION	30% recycled cotton / 70% OCS virgin cotton
WEIGHT	225 g/m <sup>2</sup>
USABLE WIDTH	169 cm
ORIGIN	France
DYEING PROCESS	No dyeing
CERTIFICATIONS	Yarn: GRS Virgin fiber: OCS

RECOMMENDED CARE	
    	Wash at 30° - Do not bleach - Do not tumble dry - Iron hot (max 200°C) - (F) Professional cleaning with petroleum solvents only
Please note that knitted fabrics might shrink by around 3 to 8% during the first washes. Therefore, you can wash the fabrics before assembling each piece or consider shrinkage in the pattern making.	

COMPLIANCE & TRACEABILITY
This fabric has been knitted with recycled yarns coming from unsold products and rolls of fabrics. This is why, due to the mechanical recycling process, residual fibers may be found in the fabrics.

## QUALITY CONTROL

FIBER COMPOSITION	0,6%	ISO 1833-1
DISTORSION	1,9%	BS EN ISO 13015

ABRASION	> 10 000 runs	ISO 12947-1 ISO 12947-2
PILLING	4/5	ISO 12945-1 ISO 12945-4
SPIRALITY AFTER LAUNDERING	2,5%	ISO 16322-2

	Warp	Weft	Standards
SHRINKAGE (Free-steam)	- 0,3%	- 0,2%	ISO 3005
SHRINKAGE (Professional cleaning)	- 1,6%	- 1,3%	ISO 3175-1
SHRINKAGE (Washing)	- 7,5%	- 4%	ISO 6330

## COLORFASTNESS

ARTIFICIAL LIGHT	3	ISO 105-B02
DRY RUBBING	5	UNI EN ISO 105-X12
WET RUBBING	4/5	UNI EN ISO 105-X12
ACID PERSPIRATION	4/5	UNI EN ISO 105-E04
ALKALINE PERSPIRATION	4/5	UNI EN ISO 105-E04
DOMESTIC AND COMMERCIAL LAUNDERING	4/5	UNI EN ISO 105-C06

## CHEMICAL

PH	6,3 UPH	ISO 3071
FORMALDEHYDE	<16 MG/KG	ISO 14184-1
AZO DYES	<5 MG/KG	UNI EN ISO 14362-1
ODOUR	ODOURLESS	GB 18401-2010 SECTION 6.7



Paris Trade and Companies Register under number 842 426 769

Nona Source – 12 rue Philippe de Girard – 75010 Paris – France

VAT Number: FR27842426769

[contact@nona-source.com](mailto:contact@nona-source.com)